VOLUME XXVIII. INDEX.

	Quarterly No.	Page No.
A		
Abington, Mass., High School Fire	3	262
Aluminum Powder Explosion, Painesville, Ohio	2	172
Amarillo, Texas, Dust Explosion in a Country Elevator	2	163
Apartment Houses, Boston, Sprinklers in. *Franklin Wentworth*	1	12
Arlington, Wash., High School Fire	3	251
Arson Investigation, Notes on. *Paul T. Wolfe*	2	127
Automatic Sprinklers. *See Sprinklers.*		
B		
Baltimore, Md., Dust Explosion in Insecticide Grinding Plant	2	177
Berkeley, Cal. Wooden Shingle Roofs	1	31
Boston, Mass., Apartment Houses, Sprinklers in. *Franklin Wentworth*	1	12
Board of Directors Meetings:		
May 14, 1934	1	7
June 25, 1934	1	8
January 19, 1935	4	305
Buffalo, N. Y., Malt Dust Explosion. *D. J. Price*	1	73
C		
Canadian Fire Losses, 1933. *J. Grove Smith, Dominion Fire Commissioner*	1	30
Chicago, Ill., Cocoa Dust Explosion	2	185
Chicago, Ill., Demolition of Dilapidated Buildings. *Engineering News-Record*	2	121
Chicago Exposition, Fire Record of. *Editorial*	3	206
Chicago Stock Yards Conflagration, *Chicago Board of Underwriters*	1	61
Editorial	1	5
Cleveland, Ohio, Wood Dust Explosion in Chair Factory	2	154
Cocoa Dust Explosion, Chicago, Ill.	2	185
Cold Storage Warehouses, Ice in Sprinkler Piping	4	312
Collapse and Fire, Tacoma Grocery Co. *Associated Reciprocal Exchanges*	4	345
Conflagrations:		
Chicago, Ill., May 19, 1934	1	61
Hakodate, Japan, March 22, 1934	2	146
Corn Dust Explosion, Wichita Falls, Texas	2	156
Country Elevator Dust Explosion, Amarillo, Texas	2	163
Tracy, Minn.	2	183
D		
Demolition of Dilapidated Buildings. *Engineering News-Record and Leon M. Gurda*	2	121
Department Store Fire Record	2	189
Detroit, Michigan, High School Fire	4	329
Drought, Effect of on Wooden Shingle Roofs. *Editorial*	1	6
Dust Explosion, Malt Dust, Buffalo, N. Y. *D. J. Price*	1	73
Dust Explosions, Lessons from Some Recent. *David J. Price, Hylton R. Brown, Paul W. Edwards, and Richard L. Hanson*	2	153
Wood Dust, Cleveland	2	154
White Corn Dust, Wichita Falls, Tex.	2	156
Country Elevator, Amarillo, Tex.	2	163
Feed Mill, Riverdale, Ill.	2	167
Grain Elevator, St. Louis	2	168
Aluminum Powder, Painesville, Ohio	2	172
Insecticide Grinding, Baltimore	2	177
Flour Dust, Minneapolis	2	179
Malt Dust, West Milwaukee, Wis.	2	180
Grain Dust, Nashville Feed Mill	2	181
Country Elevator, Tracy, Minn.	2	183
Cocoa Dust, Chicago	2	185
E		
Electricity, Static, as a Fire Cause. *E. E. Turkington*	1	16
F		
Feed Mill, Dust Explosion in, Riverdale, Ill.	2	167
Feed Mill Grain Dust Explosion, Nashville, Tenn.	2	181
Fire Department Mutual Aid, A Plan for, *P. H. Parker*	2	130
Fire Loss Graph, Research Bureau's, Schenectady, N. Y.	3	209
Fire Loss, U. S. 1933. *Board of Fire Underwriters*	1	26
Fire Loss, U. S. 1934. *National Board of Fire Underwriters*	3	210
Fire Losses, Canadian, 1933. *J. Grove Smith, Dominion Fire Commissioner*	1	30
Fire Losses of the Petroleum Industry	4	308
Fire Prevention Week, 1934. *Editorial*	2	112
Fire Prevention Week at KNX, Los Angeles	3	230
Fire Protection in Iceland. *Hjalmar Fugelli*	3	216

VOLUME XXVIII. INDEX.

	Quarterly No.	Page No.
A		
Abington, Mass., High School Fire	3	262
Aluminum Powder Explosion, Painesville, Ohio	2	172
Amarillo, Texas, Dust Explosion in a Country Elevator	2	163
Apartment Houses, Boston, Sprinklers in. *Franklin Wentworth*	1	12
Arlington, Wash., High School Fire	3	251
Arson Investigation, Notes on. *Paul T. Wolfe*	2	127
Automatic Sprinklers. *See Sprinklers.*		
B		
Baltimore, Md., Dust Explosion in Insecticide Grinding Plant	2	177
Berkeley, Cal. Wooden Shingle Roofs	1	31
Boston, Mass., Apartment Houses, Sprinklers in. *Franklin Wentworth*	1	12
Board of Directors Meetings:		
May 14, 1934	1	7
June 25, 1934	1	8
January 19, 1935	4	305
Buffalo, N. Y., Malt Dust Explosion. *D. J. Price*	1	73
C		
Canadian Fire Losses, 1933. *J. Grove Smith, Dominion Fire Commissioner*	1	30
Chicago, Ill., Cocoa Dust Explosion	2	185
Chicago, Ill., Demolition of Dilapidated Buildings. *Engineering News-Record*	2	121
Chicago Exposition, Fire Record of. *Editorial*	3	206
Chicago Stock Yards Conflagration, *Chicago Board of Underwriters*	1	61
Editorial	1	5
Cleveland, Ohio, Wood Dust Explosion in Chair Factory	2	154
Cocoa Dust Explosion, Chicago, Ill.	2	185
Cold Storage Warehouses, Ice in Sprinkler Piping	4	312
Collapse and Fire, Tacoma Grocery Co. *Associated Reciprocal Exchanges*	4	345
Conflagrations:		
Chicago, Ill., May 19, 1934	1	61
Hakodate, Japan, March 22, 1934	2	146
Corn Dust Explosion, Wichita Falls, Texas	2	156
Country Elevator Dust Explosion, Amarillo, Texas	2	163
Tracy, Minn.	2	183
D		
Demolition of Dilapidated Buildings. *Engineering News-Record and Leon M. Gurda*	2	121
Department Store Fire Record	2	189
Detroit, Michigan, High School Fire	4	329
Drought, Effect of on Wooden Shingle Roofs. *Editorial*	1	6
Dust Explosion, Malt Dust, Buffalo, N. Y. *D. J. Price*	1	73
Dust Explosions, Lessons from Some Recent. *David J. Price, Hylton R. Brown, Paul W. Edwards, and Richard L. Hanson*	2	153
Wood Dust, Cleveland	2	154
White Corn Dust, Wichita Falls, Tex.	2	156
Country Elevator, Amarillo, Tex.	2	163
Feed Mill, Riverdale, Ill.	2	167
Grain Elevator, St. Louis	2	168
Aluminum Powder, Painesville, Ohio	2	172
Insecticide Grinding, Baltimore	2	177
Flour Dust, Minneapolis	2	179
Malt Dust, West Milwaukee, Wis.	2	180
Grain Dust, Nashville Feed Mill	2	181
Country Elevator, Tracy, Minn.	2	183
Cocoa Dust, Chicago	2	185
E		
Electricity, Static, as a Fire Cause. *E. E. Turkington*	1	16
F		
Feed Mill, Dust Explosion in, Riverdale, Ill.	2	167
Feed Mill Grain Dust Explosion, Nashville, Tenn.	2	181
Fire Department Mutual Aid, A Plan for, *P. H. Parker*	2	130
Fire Loss Graph, Research Bureau's, Schenectady, N. Y.	3	209
Fire Loss, U. S. 1933. *Board of Fire Underwriters*	1	26
Fire Loss, U. S. 1934. *National Board of Fire Underwriters*	3	210
Fire Losses, Canadian, 1933. *J. Grove Smith, Dominion Fire Commissioner*	1	30
Fire Losses of the Petroleum Industry	4	308
Fire Prevention Week, 1934. *Editorial*	2	112
Fire Prevention Week at KNX, Los Angeles	3	230
Fire Protection in Iceland. *Hjalmar Fugelli*	3	216

	Quarterly No.	Page No.
Fire Record—Idle and Vacant Property	1	82
—Department Stores	2	189
—Chicago Exposition. *Editorial*	3	206
—Lumber Yards	3	237
—Oil Tank Ships	4	347
Fire Resistive Building Fire, Spring Perch Co., Lakawanna, N. Y. *Eastern Underwriters Inspection Bureau*	2	150
Fire Safety Education, Selected Demonstrations for Use in. *Committee on Visual Education*	3	264
Fire Tests in Whiskey Warehouse. *Clarence Goldsmith, K. M. Ayton and E. Schuenemann*	4	317
Fitchburg, Mass., High School Fire	3	260
Flour Mill Dust Explosion, Minneapolis, Minn.	2	179

G

Gas Holder Explosion, Hong Kong	3	233
Gasoline Storage Fire, Jamestown, N. Y. *R. W. Gieseler*	1	53
Gasoline Stove Fire in Restaurant, Gardner, Mass.	3	222
Gasoline Tank Truck Accident. *See Tank Truck Accident.*		
Grain Dust Explosion in Feed Mill, Nashville, Tenn.	2	181
Graph of City's Fire Losses, Schenectady, N. Y. *Research Bureau*	3	209

H

Hakodate, Japan, Conflagration. *Teruichi Nohmi*	2	146
High School Fires. *See School Fires.*		
Hong Kong Gas Holder Explosion	3	233
Hose Couplings, Small. *Editorial*	2	110
Hotel Fires:		
—Hotel Astor, Milwaukee, Wis.	4	332
—Kerns Hotel, Lansing, Mich.	3	223

I

Ice in Cold Storage Sprinkler Piping	4	312
Iceland, Fire Protection in. *Hjalmar Fugelli*	3	217
Idle and Vacant Property, Fire Record of	1	82
Ignition Temperatures of Solid Materials. *Clement R. Brown*	2	135
Insecticide Grinding Plant, Dust Explosion in, Baltimore, Md.	2	177
Indianapolis, Ind., Wooden Shingle Roofs	1	33
Investigation of Arson, Notes on. *Paul T. Wolfe*	2	127

J

Jamestown, N. Y., Gasoline Storage Fire. *R. W. Gieseler*	1	53

K

Kerns Hotel Fire, Lansing, Mich.	3	223

L

Large Loss Fires, 1934	3	211
Lakawanna, N. Y., Spring Perch Company Fire. *Eastern Underwriters Inspection Bureau*	2	150
Lansing, Mich., Kerns Hotel Fire	3	223
Lessons from Some Recent Dust Explosions. *David J. Price, Hylton R. Brown, Paul W. Edwards, and Richard L. Hanson*	2	153
Lexington, Ky., Whiskey Warehouse Fire. *Kentucky Actuarial Bureau*	1	79
Los Angeles Fire Prevention Week at KNX	3	230
Loss of Life Fires—Second Quarter 1934	1	102
—Third Quarter 1934	2	197
—Fourth Quarter 1934	3	291
—First Quarter 1935	4	370
Losses, Fire. (*See Fire Losses*)		
Loss of Life from Gasoline Stove Fire, Gardner, Mass.	3	222
Lumber Yards, Fire Record of	3	237
Lynn, Mass., Sprinklers Avert Conflagration. *H. S. Walker*	4	335

M

Malt Dust Explosion, Buffalo, N. Y. *D. J. Price*	1	73
Malt Dust Explosion. West Milwaukee, Wis.	2	180
Milwaukee, Wis., Demolition of Dilapidated Buildings. *Leon M. Gurda*	2	123
Milwaukee, Wis., Grade School Fire	3	236
Milwaukee, Wis., Hotel Astor Fire	4	332
Minneapolis, Minn., Flour Mill Dust Explosion	2	179
"Morro Castle" Fire (S.S.). *Editorial*	2	109
Fire Report	2	113
Mutual Aid, A Prearranged Plan for. *P. H. Parker*	2	130

N

Nashville, Tenn., Grain Dust Explosion in Feed Mill	2	181
Newark, N. J., Radio in Police Cars. *Editorial*	4	304
Nitrate of Soda in Warehouse Fire, Savannah, Ga.	4	341

	Quarterly No.	Page No.
O		
Oil Tank Ships, Fire Record of....	4	347
Oil Transformer Fires, Fighting. *G. S. Diehl and W. T. Crook, Jr.*	1	41
P		
Painesville, Ohio, Aluminum Powder Explosion	2	172
Peoria, Ill., Whiskey Warehouse Fire. *Editorial*	4	302
Petroleum Industry's Fire Losses..	4	308
Police Radio Cars, Newark, N. J. *Editorial*	4	304
R		
Radio in Police Cars, Newark, N. J. *Editorial*	4	304
Radio Station KNX, Los Angeles. Fire Prevention Week Program, 1934	3	230
Research Bureau's Graph of City's Fire Losses, Schenectady, N. Y.	3	209
Riverdale, Ill., Explosion in Feed Mill	2	167
Rural Fire Protection, Water Supplies for. *P. C. Charnock*	1	34
S		
San Francisco, Cal.:		
Girls' High School Fire	3	254
Lowell High School Fire	3	257
Savannah, Ga., Waterfront Warehouse Fire	4	341
Schenectady, N. Y., Research Bureau Graph of City's Fire Losses	3	209
School Fires:		
—High School, Arlington, Wash.	3	251
—Girls' High School, San Francisco	3	254
—Grade School, Milwaukee, Wis.	3	256
—Lowell High School, San Francisco	3	257
—Public School, Sharon, Wis....	3	258
—High School, Fitchburg, Mass.	3	260
—High School, Abington, Mass.	3	262
—Western High School, Detroit	4	329
Selected Demonstrations for Use in Fire Safety Education. *Committee on Visual Education*	3	264
Sharon, Wis., Public School Fire....	3	258
Small Hose Couplings. *Editorial*..	2	110
Spring Perch Company Fire, Lakawanna, N. Y. *Eastern Underwriters Bureau*	2	150
Sprinkler Head, Operation of.....	3	232
Sprinkler Piping, Cold Storage Warehouses, Ice in	4	312
Sprinkler Tables, Annual	4	375
Sprinklers Avert Conflagration, Lynn, Mass. *H. S. Walker*.....	4	335
Sprinklers in Boston Apartment Houses. *Franklin Wentworth*....	1	12
Sprinklers in Whiskey Warehouse, Fire Tests of. *Clarence Goldsmith, K. M. Ayton and E. Schuenemann*	4	317
Steamship Fires Since 1900. Notable Passenger Ships	2	120
Static Electricity As a Fire Cause. *E. E. Turkington*	1	16
Steamship "Morro Castle" Fire. *Editorial*	2	109
Fire Report	2	113
St. Louis, Mo., Terminal Grain Elevator Explosion	2	168
Stock Yards Conflagration, Chicago, Ill. *Chicago Board of Underwriters*	1	61
Editorial	1	5
Stores, Department, Fire Record....	2	189
T		
Tacoma Grocery Co. Collapse and Fire. *Associated Reciprocal Exchanges*	4	345
Tank Ships, Fire Record of	4	347
Tank Truck Accident, Wickenburg, Ariz. *Arizona Equitable Rating Office*	3	236
Tax Exemptions for Fire Safety. *Editorial*	3	208
Taxation and Fire. *Editorial*	1	6
Taxpayer? What About the. *Editorial*	3	207
Terminal Grain Elevator Dust Explosion, St. Louis, Mo.	2	168
Tracy, Minn., Dust Explosion in a Country Elevator	2	183
Transformer Fires, Fighting. *G. S. Diehl and W. T. Crook, Jr.*	1	41
U		
Underwriters' Laboratories' Changes. *Editorial*	3	205
V		
Visual Education Committee, Selected Demonstrations for Use in Fire Safety Education	3	264
Volunteer Firemen, The Importance of. *Editorial*	4	303
W		
Warehouse Fire, Savannah, Ga.....	4	341
Water Supplies for Rural Fire Protection. *P. C. Charnock*.....	1	34
West Milwaukee, Wis., Malt Dust Explosion	2	180
Whiskey Warehouse Fire, Lexington, Ky. *Kentucky Actuarial Bureau*	1	79
Whiskey Warehouse Fire, Peoria, Ill. *Editorial*	4	302
Whiskey Warehouse, Fire Tests of Sprinklers in. *Clarence Goldsmith, K. M. Ayton and E. Schuenemann*	4	317
Wichita Falls, Texas, White Corn Dust Explosion	2	156
Wood Dust Explosion in Chair Factory, Cleveland, Ohio	2	154
Wooden Shingle Roofs, Berkeley, Cal., and Indianapolis, Ind.	1	31
Wooden Shingle Roof Fires, One Effect of the Drought. *Editorial*	1	6